



7538 **TOPX Adapter**Spring Loaded Torx adapter can be configured with other inserts.



7548 **Delrin Torx Wobble Socket**Magnets hold fastener. Can be configured with other inserts.



7558 **Torx Drive with Sleeve**Can be configured with various inserts.



7568 **Plunger Socket**Spring loaded plunger releases fastener from socket.



Ink Marking Socket

Produces and ink witness mark on the top of the fastener. A spring loaded, refillable canister with applicator is positioned inside socket.



7588 **02 Sensor Socket**Available in various lengths and drive sizes.





7598 **Weather head Socket**Available in various lengths and drive sizes.



 $\frac{7608}{\text{Dual Adjustment Tool}}$



 $7618 \\ \textbf{Slotted Socket} \\ \text{Available in various lengths and drive sizes}.$



Freeze Plug Installation ToolWorks with air hammer or single shot hammer, includes replaceable UHMW plastic driving surface.

7628



7638 **Floating Drive Deep**



7648 **Floating Spline Drive**





7658 Cap Socket



7668 **Spark Plug Socket**



7678 **Heavy Duty Drive Adapter**Available in various lengths and drive sizes.

Can be configured with either ball or pin lock.



 $7688 \\ \textbf{Dirve Adapter with Socket}$



7698 **Strut Cartridge Tool**



7708

Morse Taper Drive

Pictured with 3/4 inch male drive with pin lock.





7718
Threaded Driver



7728 **Socket with Threaded Adapter**Used on guns with threaded spindles.



7738 **Deep Wall Socket with Threaded Adapter**Used on guns with threaded spindles.



7748

Clicker Style Sensor Wrench

Available in various sizes including box and fast lead.



7758 **T Handle Wrench**(With Spring Loaded Socket)

Available in various dimensions.



7768 **Plastic Clip installation Tool**Designed for plastic door skin clips.





7778 **Mini Breaker Bar**

Available in various lengths and drive sizes. Can be configured with ball or pin lock.





7798 **Heavy Duty Wobble Socket**Pictured 31 mm surface dive with 3/4 inch drive.



7808 **Valve Removal Socket**Designed for welding tank valves.



7818 **Castle Nut Socket**

4 7/8" 8 point socket. Machined one piece construction. Designed for installation of large castle nuts.



7828

Flank Drive Wrenches

Availabe in various sizes and dimensions.